

# COMPANY

### Introduction

WW is a leading manufacturer and supplier for top quality Oxy-fuel cutting/welding equipment in China, For Over 26 Years, WW has been listed as long-term strategic partner due to its reliability and accumulated experience.

WW providing the superior quality products, competitive prices.
Apart from its private brands, it supplies OEM/ODM service for its worldwide well-known company to tailor different customers' needs

Whave excellence experience of R& D and manufacture in the field of welding/cutting, with rich experience in production, high customer satisfaction, leading technology innovation ability, advanced production equipment and a comprehensive and reliable quality management system to win the market, won the customer trust.



WW 's warehouse can accommodate up to 500 pallets of goods, and all GEM order packaging must be completed in its own warehouse to ensure that all exclusive designs will not be plagiarized.





WW also has obtained the certificates of UL and CE for its industrial products.



WW adhere to the international advanced production technology and production equipment for the navigation, the international large company to absorb the design concept, to the precise and professional production system, accurate product positioning, to the entire world of professional enterprises to cooperate in production. Our company strictly implement (509001; 2015 quality management system.



Our design department is always ready to help you build your best product. We will support you with our experience and know-how in the industry.

:WW is a great source of welding & cutting equipment and PPE business, we supply a wide rande of products that you could always find the BEST solutions form WW.

WITH WINNER, YOU CAN REST ASSURED YOUR COMMODITY WELL SUPPLIED.













GAS CUTTING / WELDING EQUIPMENT	GAS HEATING TOOLS	
Portable Welding and Cutting Kit 01-	25 Burner Torches	97
Cutting Attachment & Handles 26-	Weed Burner	98
Hand Cutting Torches 26-	40 Roofing Torches	98-100
Welding & Brazing Torches 26	Hand auto-Ignite Propane / Mapp	101-102
Gas Cutting Machines 62-	Disposable cartridges	103
Cylinder Valves 69	ARC WELDING EQUIPMENT	
Seamless Steel Cylinders 70	71 Electrode Holders	104-105
Cylinder Trolley 7	Ground Clamps	106
GAS APPARATUS & FLOW CONTROL	Manual Gouging Torches	105
Single Regulators		105
Flowmeter Regulators 20/5		107
Flowgauge Regulators		107
Twin Stage Regulators		107
Co2 Heated Regulator		107
High Pressure Piston Regulators		108-109
High Purity Regulators 57		109
Balloon Filling Regulators 5		110-115
L.P.G Regulators		116-125
Manometers 55		126-131
Medical Regulators 60-		
GAS CUTTING / WELDING CONSUMABLE	Management of the second of th	138-139
Cutting Tips 72-		140
Gouging Tips 75/77		139
Heating Tips 904		139
Welding / Brazing Tips		140
Flashback Arrestors / Check Valves	Tungsten Electrode	141
Heating Neck Tubes	WELDING ELECTRODE DRYER	132-137
Welding / Heating Mixers		142-143
WELDING / CUTTING ACCESSORIES	FLAP DISC	144-148
Double Outlet Y-Pieces	Design and the second s	
Hose Splicer / Nipple	PPE	
Adaptors / Tip Nuts	Auto Ondervice Molding Helevat	149-151
Hose Nut / Ferrules	Walding Mark / Fran Chiefe	152-15
Cylinder Nuts / Stem	Safety Helmet	154
Control Ball Valves	Goggles / Ear Plug	154-159
Hose Repair Kit.	Gloves	155-156
Gas Economizers	Webbing Sling	156-157
Tip Cleaners / Flint Strikers	Ratchet Straps	157
Soapstone Marker	Harness / Energy Absorber	158-162
Rubber Welding Hoses	H-VIS Safety Vest	163

#### Features:

- · This set contains all the equipment you need for cutting, welding and brazing in a rugged, plastic carrying case.
- The outfit is designed to carry one 2L acetylene cylinder and one 4L oxygen cylinder.
- Unique carry tote offers in-line balanced design for carrying ease.
- · Waterproof storage compartment for small items.
- · Rear entry regulators for better balance on the small cylinders.

### **High Capacity**

Cuts up to 4" (101.6mm) Weld up to 114" (31.8mm)











Torch Handle WH100



T Grade





Oxygen Regulator SR140-540



Acetylene Regulator SR140-200



Oxygen cylinder 4L

Acetylene cylinder 21

## VMCW-45P

### Accessories



Welding nozzle VM-W(1)



Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker FS5501



Tip cleaner TC5402

Contents	Torch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acetylene Regulator	Twin Rubber Hose	Oxygen Cylinder	Acetylene Cylinder	Accessories
Model	WH100	CA1350	1-3-101	5R140-540	SR140-200	15Pt W/Fitting 9/16° T Grade	- GL	2L	Welding nozzle, Welding Goggle, Spanne; Spark Striker Tip Cleaner Plastic Tote 21-0016

Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.

#### Features:

- This set contains all the equipment you need for welding and brazing in a rugged, plastic carrying case.
- The outfit is designed to carry one 2L acetylene cylinder and one 4L oxygen cylinder.
- Unique carry tote offers in-line balanced design for carrying ease.
- Waterproof storage compartment for small items.
- · Rear entry regulators for better balance on the small cylinders.

### **High Capacity**

Weld up to 134" (31.8mm)





Welding nozzle VM-W(1,2)



Torch Handle WH100





Oxygen Regulator SR140-540



Acetylene Regulator SR140-200



Oxygen cylinder 4L

Acetylene cylinder 2L





### Accessories



Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker FS5501



Tip cleaner TC5402


Contents	Total Handle	Welding nozzle	Oxygen Regulator	Acetylene Regulator	Twin Rubber Hose	Oxygen Cylinder	Acetylene Cylinder	Accessories
Model	WHIOO	VM-W(1,2)	SR140-540	5R140-209	19Ft W/Fitting 9/16" T Grade	4L	ŞL	Welding Goggle, Spanner, Spark Striker, Tip Cleaner, Plastic Tote 21-0016

<sup>\*</sup> Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.

#### Features:

- · Brass and stainless steel construction
- Torch handle w/two stainless steel needle valves for accurate flame adjustment and durability
- Complete accessory package with hose, spark lighter, goggles, tip cleaners, and replacement O-rings.
- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- · Forged and extruded brass for excellent durability,
- · With reverse flow check valves.
- · 19" Plastic tool box with tray.







**High Capacity** 

Cutting Attachment CA73-2





Cutting tip 6290-1

Welding nozzle

23A90(3,5,7)



HCW-3ITB




Oxygen Regulator SR027-OX



Acetylene Regulator SR027-AC



Twin Rubber Hose 15Ft W/Fitting 9/16" T Grade



Accessories

Welding Mixer



Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker FS5501



TC5403

Complete Outfit Contents:

Contents	Tooch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acetylene Regulator	Twin Rubber	Welding nozzle	Welding Mixer	Accessories
Model	WH63-2	CA73-2	6290-1	SR027-0X	SR027-AC	15Ft W/Fitting 9/16" T Grade	23A90(3,5,7)	E-43	Weiding Goggle, Spanner. Spark Striker, Tip Cleaner, Plastic box package

Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.

#### Features:

- Brass and stainless steel construction.
- . Torch handle w/two stainless steel needle valves for accurate flame adjustment and durability
- Complete accessory package with hose, spark lighter goggles, tip cleaners, and replacement O-rings.
- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- Forged and extruded brass for excellent durability.
- · With reverse flow check valves.
- 19" Plastic tool box with tray.

### **High Capacity**

Cuts up to 6" [152.4mm] Weld up to 3" (76.2mm)







Cutting Attachment CA73-2







Cutting tip 6290-1





Oxygen Regulator SR350-OX




Acetylene Regulator SR350-AC



Twin Rubber Hose 15Ft W/Fitting 9/16" T Grade











Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker FS5501



Tip cleaner TC5403

Contents	Torch Handle	Cutting Attachment	Cutting Tign	Cxyges Regulator	Acetylene Regulator	Twin Rubber Hose	Welding nozzle	Welding Moer	Accessories
Model	WH63-2	CA73-2	6290-1	SR350-CX	SR350-AC	15Ft W/Fitting 9/16" I Grade	23A90(3,5,7)	E-43	Welding Goggle, Spanner, Spark Striker, Tip Cleaner, Plastic box package

Always state model number when ordering.

Please inform inlet & outlet connections needed to suit country.

#### Featurest

- Brass and stainless steel construction.
- . Torch handle w/two stainless steel needle valves for accurate flame adjustment and durability
- Complete accessory package with hose, spark lighter goggles, tip cleaners, and replacement O-rings.
- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- Forged and extruded brass for excellent durability.
- · With reverse flow check valves.
- 19" Plastic tool box with tray.









Cutting tip 6290-1





E 43



HCW-37TB

### **High Capacity**

Cuts up to 6"(152.4mm) Weld up to 3" (76.2mm)







Oxygen Regulator ESS4-150-540



Acetylene Regulator ESS4-15-510



Twin Rubber Hose 15Ft W/Fitting 9/16" T Grade

## Accessories



Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker FS5501



Tip cleaner TC5403


Contents	Torch Handle	Cutting Attachment	Curting Tips	Oxygen Regulator	Acetylene Regulator	Twin Rubber Hose	Weiding nozzle	Welding Moer	Accessories
Model	WH63-2	CA73-2	6290-1	ESS4-150-540	ESS4-15-510	15Ft W/Fitting 9/16 T Grade	23A90(3,5,7)	E43	Welding Goggle. Spanner, Spark Striker, Tip Cleaner, Plastic box package

Always state model number when ordering.

Please inform inlet & outlet connections needed to suit country.

#### Features:

- Brass and stainless steel construction.
- . Torch handle w/two stainless steel needle valves for accurate flame adjustment and durability
- Complete accessory package with hose, spark lighter goggles, tip cleaners, and replacement O-rings.
- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- Forged and extruded brass for excellent durability.
- · With reverse flow check valves.
- Strong color carton box with tray.



Cuts up to 6" (152.4mm) We'd up to 3" (76.2mm)







Cutting Attachment CA73-2









Acetylene Regulator G350-15-510





Twin Rubber Hose 20Ft W/Fitting 9/16" R Grade



6290-1



Welding nozzle 23A90(5)



Accessories





Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker FS5501



Tip cleaner TC5402

Contents	Torch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acetylene Regulator	-Twin Rubber Hose	Welding nozzle	Welding Moer	Accessories
Model	WH63-2	CA73-2	6290-1	G350-150-540	G350-15-510	20Ft W/Fitting 9/16" R Grade	23A90(5)	E-43	Welding Goggle, Spanner, Spark Striker, Tip Cleaner, Carton box package

Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.

#### Features:

- · Brass and stainless steel construction
- . Torch handle w/two stainless steel needle valves for accurate flame adjustment and durability
- Complete accessory package with hose, spark lighter, goggles, tip cleaners, and replacement O-rings.
- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- Forged and extruded brass for excellent durability.
- . Build-in flashback arrestor and check valves
- · Strong color carton box with tray.



Cutting Attachment CA2460



Torch Handle 315FC





Cutting tip 1-1-101



Welding nozzle VH-W(1)



VHCW-350TP

### **High Capacity**

Cuts up to 8\* (200mm) Weld up to 3" (76.2mm)







Oxygen Regulator G350-150-540



Acetylene Regulator G350-15-510



Flashback Arrestor Set For Regulator

R288




### Accessories

Twin Rubber Hose

20Ft W/Fitting 9/16" R Grade







Spanner CS5706



Spark Striker FS5503



Tip cleaner TC5402


Contents	Torch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acetylene Regulator	Twin Rubber Hose	Welding nozzle	Accessories
Model	315FC	CA2460	1-1-101	G350-150-540	G350-15-510	20Ft W/Fitting 9/16" R Grade	VH-W(1)	Welding Goggle, Spanner, Spark Striker, Tip Cleaner, Carton box package

Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.

#### Features:

- · Brass and stainless steel construction
- . Torch handle w/two stainless steel needle valves for accurate flame adjustment and durability
- Complete accessory package with hose, spark lighter, goggles, tip cleaners, and replacement O-rings.
- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- Forged and extruded brass for excellent durability.
- · Build-in flashback arrestor and check valves · Strong color carton box with tray.







**High Capacity** 









315FC



Welding nozzle VH-W(1)



Oxygen Regulator ESS3-150-540








Acetylene Regulator ESS3-15-510



20Ft W/Fitting 9/16" R Grade





Flashback Arrestor Set For Regulator

R288



### Accessories









Welding goggle F-1005 Shade #7

Spanner CS5706

Spark Striker FS5503

Tip cleaner TC5402

Соптеять	Forch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acetylene Regulator	Twin Rubber Hose	Welding nozzle	Heating nozde	Accessories
Model	315FC	CA2460	1-1-101	ESS3-150-540	ESS3-15-510	20Ft W/Fitting 9/16 * R Grade	VH-W(1)	8-МБА	Welding Soggle, Spanner, Spark Striker, Tip Cleaner, Carton box package

<sup>\*</sup> Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.

#### Features:

- Brass and stainless steel construction
- . Torch handle w/two stainless steel needle valves for accurate flame adjustment and durability
- Complete accessory package with hose, spark lighter, goggles, tip cleaners, and replacement O-rings.
- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- Forged and extruded brass for excellent durability.
- . Build-in flashback arrestor and check valves
- . 19" Plastic tool box with tray.



Cutting Attachment

CA2460



315FC

Torch Handle






Cutting tip 1-1-101



Welding nozzle VH-W(1)







**High Capacity** Cuts up to 8" (203.2mm) Weld up to 3" [76.2mm]







Oxygen Regulator SR350-OX



Acetylene Regulator SR350-AC

## VHCW-32TB

### Accessories



Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker FS5501



Tip cleaner TC5402

Contents	Tarch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acetylene Regulator	Twin Rubber Hose	Welding nozzle	Accessories
Model	315FC	CA2460	1-1-101	58350-OX	SR350-AC	20Ft W/Fitting 9/16" R Grade	VH-W(1)	Welding Goggle, Spanner, Spark Striker, Tip Cleaner, Plastic box package

Always state model number when ordering.

Please inform inlet & outlet connections needed to suit country.

#### Features:

- Brass and stainless steel construction
- . Torch handle w/two stainless steel needle valves for accurate flame adjustment and durability
- Cuts up to 8" (203.2mm) Complete accessory package with hose, spark lighter, goggles, tip cleaners, and replacement O-rings. Wold up to 3" (76.2mm)
- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- Forged and extruded brass for excellent durability.
- . Build-in flashback arrestor and check valves



Cutting Attachment



Torch Handle 315FC







Cutting tip 1-1-101



Welding nozzle VH-W(1,3,5)







Acetylene Regulator

Oxygen Regulator ESS4-150-540

**High Capacity** 

Twin Rubber Hose 20Ft W/Fitting 9/16 \* R Grade

VHCW-40TB

Accessories



Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker FS5501



Tip cleaner TC5402

Соптеять	Torch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acetylene Regulator	-Twist Rubber- Hose	Welding nozzle	Heating nozzle	Accessories
Model	315FC	CA2460	1-1-101	ESS4-150-540	ESS4-15-510	20Ft W/Fitting 9/16" R Grade	VH-W(1,8.5)	8-MFA	Welding Goggle, Spanner, Spark Striker, Tip Cleaner, Plastic box package

Always state model number when ordering.

Please inform inlet & outlet connections needed to suit country.

#### Features:

- · Brass and stainless steel construction
- . Torch handle w/two stainless steel needle valves for accurate flame adjustment and durability
- Cuts up to 8" (203.2mm) Complete accessory package with hose, spark lighter, goggles, tip cleaners, and replacement O-rings. Wold up to 3"(76.2mm)
- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- Forged and extruded brass for excellent durability.
- Build-in flashback arrestor and check valves.
- · 22.5" stainless steel tool box with tray.



Cutting Attachment CA2460



Torch Handle 315FC



**High Capacity** 

Oxygen Regulator SR450-540



Acetylene Regulator SR450-510



Twin Rubber Hose 20Ft W/Fitting 9/16\* T Grade



Cutting tip 1-1-101



Welding nozzle VH-W(1,3,5)





VHCW-2ITB

## Accessories



Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker FS5503



Tip cleaner TC5402

Contents	Torch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acerylene Regulator	Twin Rubber Hose	Welding nozde	Heating nozzle	Accessories
Model	315FC	CA2460	1-1-101	58450-540	\$R450-510	20Ft W/Fitting S/16° T Grade	VH-W(1,3,5)	8-MFA	Welding Goggle, Spanner, Spark Striker, Tip Cleaner, Stainless steel box

<sup>\*</sup> Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.

#### Features:

- · Brass and stainless steel construction
- Torch handle w/two 2-stage stainless steel needle valves for fine-tuning function.
- Jagged design torch handle connection to enhance the stability.
- Complete accessory package with hose, spark lighter, goggles, tip cleaners and wrenches.
- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- Forged and extruded brass for excellent durability.
- 22.5° Stainless steel tool box with tray.



Cutting Attachment CA242



Type 550 Welding Mixer



Torch Handle WH241





Oxygen Regulator SR159-OX

**High Capacity** 

Cuts up to 6" (152.4mm)

Weld up to 1/2" (12.7mm)



Acetylene Regulator 5R159-AC




Twin Rubber Hose 20Ft W/Fitting 5/8UNF T Grade



Type 41 Cutting tip. (#8,12,15)





# CGCW-23TB

### Accessories



Welding gaggle F-1005 Shade #7



Spanner CS5702



Spanner CS5705



Spark Striker FS5501



Tip cleaner TC5402



Flashback Arrestores

Torch End

T188



R288 Regulator End

Contents	Torch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acetylene Regulator	Tuin Rubber Hose	Welding nozale	Heating nozzle	Weiding Mixer	Accessories
Model	WH241	CA242	41	SR159-OX	SR159-AC		551 Acetylene (#6,10,12,15,20)	8x12	Type 550	Weding Goggle, Spanner X Z. Spark Striker, Tip Cleaner, Flashback Arrestor, Stainless steel box

<sup>\*</sup> Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.

#### Features:

- · Brass and stainless steel construction
- Torch handle w/two 2-stage stainless steel needle valves for fine-tuning function.
- Jagged design torch handle connection to enhance the stability.
- Complete accessory package with hose, spark lighter, goggles, tip cleaners and wrenches.
   O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- Forged and extruded brass for excellent durability.
- 22.5° Stainless steel tool box with tray.



Cutting Attachment CA242



Type 550 Welding Mixer



Torch Handle WH241



Type 44 Cutting tip (#8,12,15)



Type 554 L.P.G Welding nozzle (#8,10,12,15,20)



CGCW-24TB

### High Capacity

Cuts up to 6"(152.4mm) Weld up to 1/2"(12.7mm)









Oxygen Regulator SR159-OX



LP.G Regulator SR159-LP



Twin Rubber Hose 20Ft W/Fitting 5/8UNF T Grade

### Accessories



Welding goggle F-1005 Shade #7



Spanner CS5702



Spanner CS5705



Spark Striker FS5501



Tip cleaner TC5402



Flashback Arrestores T188

R288

Torch End Regulator End

Contents	Torch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	LPG Regulator	Tuin Rubber Hose	Welding nozale	Heating nozzle	Weiding Mixer	Accessories
Model	WH241	CA242	44	SR159-OX	SR159-LP	20Ft W/Fitting 5/6 T Grade	554 L.P.G (#6,10,12,15,20)	8x12	Type 550	Welding Goggle, Sponner x 2, Spork Striker, Tip Cleaner, Flachback Arrector, Stainless steel box.

<sup>\*</sup> Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.


#### Features:

- Brass and stainless steel construction
- . Torch handle w/two stainless steel needle valves for accurate flame adjustment and durability
- Complete accessory package with hose, spark lighter, goggles, tip cleaners, and replacement O-rings.

WH100C

- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- · Forged and extruded brass for excellent durability.
- · With reverse flow check valves.
- · Strong color carton box with tray.

CA1350



**High Capacity** 









Cutting tip 1-3-101



Oxygen Regulator SR250-OX



Acetylene Regulator SR250-AC



Welding nozzle VM-W(1)



Twin Rubber Hose 15Ft W/Fitting 9/16" R Grade

VMCW-240TP



Set For Regulator





### Accessories



Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker FS5502



Tip cleaner TC5402

Contents	Torch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acetylene Regulator	Twin Rubber Hose	Welding nozzle	Accessories	
Model	WHIOOC	CA1350	1-3-101	5R250-540	SR250-510	15Ft W/Fitting 9/16' R Grade	VM-W(t)	Welding Goggle, Spanner. Spark Striker, Tip Cleaner, Carton box package	

<sup>\*</sup> Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.

#### Features:

- · Brass and stainless steel construction
- . Torch handle w/two stainless steel needle valves for accurate flame adjustment and durability
- Complete accessory package with hose, spark lighter, goggles, tip cleaners, and replacement O-rings.
- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- Forged and extruded brass for excellent durability.
- · Build-in flashback arrestor and check valves





Cutting Attachment CA1350



100FC



Cutting tip 1-3-101



Welding nozzle VM-W(1)





**High Capacity** 

Cuts up to 6" (152.4mm)

Weld up to 1¼" (31.8mm)


Oxygen Regulator G350-150-540



Acetylene Regulator G350-15-510



Twin Rubber Hose 20Ft W/Fitting 9/16" R Grade





Flashback Arrestor Set For Regulator

288-FBR



## Accessories



Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker FS5503



Tip cleaner TC5402

Contents	Torch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acetylene Regulator	Twin Rubber Hose	Welding nozzle	Accessones
Model	100FC	CA1350	1-3-101	G350-150-540	G350-15-510	20Ft W/Fitting 9/16" it Grade	VM-W(T)	Welding Goggle, Spanner, Spark Striker, Tip Cleaner, Carton box package

Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.

#### Features:

- · Brass and stainless steel construction
- . Torch handle w/two stainless steel needle valves for accurate flame adjustment and durability
- Complete accessory package with hose, spark lighter, goggles, tip cleaners, and replacement O-rings.
- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- Forged and extruded brass for excellent durability.
- · Build-in flashback arrestor and check valves

· Strong color carton box with tray.



Cutting Attachment CA1350



Torch Handle 100FC



Cutting tip 1-3-101



Welding nozzle VM-W(1)





**B859** 



**High Capacity** 

Cuts up to 6° (152.4mm)


Weld up to Thi (31.8mm)

Oxygen Regulator ESS3-150-540

Acetylene Regulator

ESS3-15-510









Welding goggle F-1005 Shade #7



VMCW-257TP

Spanner CS5706



Spark Striker FS5503



Tip cleaner TC5402

Contents	Torch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acetylene Regulator	Twin Rubber Hose	Welding nozzle	Accessories
Model	100FC	CA1350	1-3-101	ESS3-150-540	ESS3-15-510	20Ft W/Fitting 9/16" R Grade	VM-W(T)	Welding Goggle, Spanner, Spark Striker Tip Geones, Carton box package

<sup>\*</sup> Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.

#### Features:

- · Brass and stainless steel construction
- · Latest design handle to reduce operator fatigue and provide better grip
- Complete accessory package with hose, spark lighter, goggles, tip cleaners, and replacement O-rings.
- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- Forged and extruded brass for excellent durability.



Cutting Attachment CA411



Cutting tip 1-1-101



VH-W(1)

Twin Rubber Hose 20Ft W/Fitting 9/16 " R Grade



VHCW-358TP

### **High Capacity**

Cuts up to 6° (152.4mm) Weld up to 3"(76.2mm)







Oxygen Regulator ESS3-150-540



Acetylene Regulator ESS3-15-510







## Accessories



Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker FS5503



Tip cleaner TC5402


Contents	Torch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acetylene Regulator	Twin Rubber Hose	Welding nozzle	Accessories
Model	WH411C	CA411	1-1-101	ESS3-150-540	ESS3-15-510	20Ft W/Fitting 9/16" R Grade	VH-W(T)	Welding Goggle, Spanner, Spark Striker, Tip Cleaner, Carton box package

<sup>\*</sup> Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.

#### Features:

- . Triangular stainless steel gas tubes for maximum strength
- . Two stainless steel needle valves for precise flame adjustment and better durability
- · Head mixing for highest operator safety
- · Built-in safety plug in torch head
- Complete accessory package with hose, spark lighter, goggles, tip cleaners.
- · Strong color carton box with tray.









A

Cutting tip SC12-1



Flashback Arrestor Set Regulator to Hose R288




Oxygen Regulator G350-150-540



Acetylene Regulator G350-15-510



Twin Rubber Hose 20Ft W/Fitting 9/16" R Grade







Accessories



Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker FS5503



Tip cleaner TC5402


Contents	Cutting Torch	Cutting: Tips	Oxygen Regulator	Acetylene Regulator	Twin Rubber Hose	Flashback Arrestor	Accessories	
Model	SC162D	SC12-1	6350-150-540	G350-15-510	20F: W/Fitting 9/16" R Grade	R286	Welding Goggle, Spanner, Spark Striker, Tip Cleaner, Carton box package	

<sup>\*</sup> Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.

#### Features:

- Triangular stainless steel gas tubes for maximum strength
- . Two stainless steel needle valves for precise flame adjustment and better durability
- · Head mixing for highest operator safety
- · Built-in safety plug in torch head
- Complete accessory package with hose, spark lighter, goggles, tip cleaners.
- · Strong color carton box with tray.









A

Cutting tip SC12-1



Flashback Arrestor Set Regulator to Hose R288





Oxygen Regulator SR300-540



Acetylene Regulator SR300-510



Twin Rubber Hose 20Ft W/Fitting 9/16" R Grade

SHCW-540TP







Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker PS5503



Tip cleaner TC5402

Contents	Cutting Torch	Curting Tips	Oxygen Regaletor	Acetylene Regulator	Twin Rubber Hose	Flashback Arrestor	Accessories
Model	SC162D	SC12-1	\$R300-540	SR300-510	20Ft W/Fetting 9/16" R Grade	R286	Welding Goggle, Spanner, Spark Striker, Tip Cleaner, Carton box package

<sup>\*</sup> Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.



Cutting tip 1-1-101



Oxygen Regulator SR450-540



Acetylene Regulator SR450-510



Twin Rubber Hose 15Ft W/Fitting 9/16" R Grade





**High Capacity** Cuts up to 8' (203.2mm)







VHCW-900TP



Welding goggle F-1005 Shade #7



Spanner C\$5706



Spark Striker FS5501



Tip cleaner TC5402

### Complete Outfit Contents:

Contents	Cutting Torch	Cutting Tips	Cxygen Regulator	Acetylene Regulator	Twin Rubber Hose	Accessories
Madel	SC900FC	1-1-101	SR450-540	SR450-510	1SF1 W/Fitting 9/16* R Grade	Welding Goggle, Spanner, Spark Striker, Tip Cleaner, Certon box package

Always state model number when ordering.

\* Please inform inlet & outlet connections needed to suit country.



Oxygen Regulator SR450-540



Acetylene Regulator SR450-510



Twin Rubber Hose 15Ft W/Fitting 9/16°R Grade



Cutting Attachment CA2460





Torch Handle 315FC



Cutting tip 1-1-101







Welding nozzle VH-W(1,3.5)



Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker

F\$5501



Tip cleaner TC5402

## VHCW-880TP

#### Complete Outfit Contents:

Contents	lorch Handia	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acetylene Regulator	Welding neath	Twin Rubber Hose	Accessories
Model	315FC	CA2463	1-1-101	SR450-540	SR450-510	VH-W(1,3,5)	15Ft W/Fitting 9/16" R Grade	Welding Goggle, Spanoer, Spark Striker Tip Cleaner, Carton box package

Always state model number when ordering.

Please inform inlet & outlet connections needed to suit country.

#### Features:

- · Brass and stainless steel construction
- . Torch handle w/two stainless steel needle valves for accurate flame adjustment and durability
- Complete accessory package with hose, spark lighter, goggles, tip cleaners, and replacement O-rings.
- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- · Forged and extruded brass for excellent durability.
- · With reverse flow check valves.

1-3-101







**High Capacity** 

Cuts up to 6° (152.4mm)

Weld up to 114" (31.8mm)

SR250-540



Acetylene Regulator SR250-510



Heating nozzle MFA-1-6



Twin Rubber Hose 15Ft W/Fitting 9/16" R Grade



VMCW-6IPC

### Option:

Flashback Arrestor Set For Regulator

R288



## Accessories



Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker PS5501



Tip cleaner TC5402

Contents	Torch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acetylene Regulator	Twin Rubber Hose	Welding nozde	Heating nozzle	Accessories
Mociel	WH100C	CA1350	1-3:101	5R250-540	SR250-510	15Ft W/Fitting 9/16* R Grade	VM-W(1.3.5)	MFA-1-6	Welding Goggle, Spanner, Spark Striker, Tip Cleaner, Plastic box package

<sup>\*</sup> Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.

#### Features:

- · Brass and stainless steel construction
- . Torch handle w/two stainless steel needle valves for accurate flame adjustment and durability
- · Complete accessory package with hose, spark lighter, goggles, tip cleaners, and replacement O-rings.

Torch Handle

315FC

- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
- Forged and extruded brass for excellent durability.
- . Build-in flashback arrestor and check valves.
- Plastic case package.



Cutting Attachment CA2460



Cutting tip 1-1-101



Welding nozzle VH-W(1,3,5)





VHCW-5IPC

### **High Capacity**

Cuts up to 8" (203.2mm) Weld up to 3" (76.2mm)







Oxygen Regulator SR450-540



Acetylene Regulator SR450-510



Twin Rubber Hose 15Ft W/Fitting 9/16\* R Grade

## Accessories



Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker PS5501



Tip cleaner TC5402

Contents	Torch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acerylene Regulator	Twin Rubber Hose	Wekling nozile	Heating nozzle	Accessories
Model	315FC	CA2460	1-1-101	5R450-540	\$R450-510	15Ft W/Fitting 9/16° R Grade		8-MFA	Welding Goggle, Spanner, Spark Striker, Tip Cleaner, Plastic case package

<sup>\*</sup> Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.

#### Features:

- · Brass and stainless steel construction
- Torch handle w/two stainless steel needle valves for accurate flame adjustment and durability
- Complete accessory package with hose, spark lighter, goggles, tip cleaners, and replacement O-rings.
- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
   Forged and extruded brass for excellent durability.
- With reverse flow check valves.
- Plastic case package.



Cutting Attachment CA73-2



Welding Mixer E-43



WH63-2





**High Capacity** 

Cuts up to 6"(152.4mm)

Weld up to 3" (76.2mm)

Oxygen Regulator SR025-0X



Acetylene Regulator SR025-AC







Twin Rubber Hose 15Ft W/Fitting 9/16" R Grade



HCW-70PC



Flashback Amestor Set For Regulator

R288



Accessories



Welding goggle F-1005 Shade #7



Spanner CS5706



Spark Striker FS5501



Tip cleaner TC5402

Contents	Torch Handle	Cutting Attachment	Cutting Tips	Oxygen Regulator	Acetylene Regulator	Twin Rubber Hose	Welding nozzle	Welding Mixer	Accessories
Model	WH63-2	CA73-2	6290-1	SR025-CX	SR025-AC	15Ft W/Fitting 9/16" R Grade	23A90(3,5,7)	E-43	Weiding Goggle, Spanner, Spark Striker, Tip Cleaner, Plastic case package

Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.

#### Features:

- Aluminum handle for less weight & more comfort
- · Torch handle w/two stainless steel needle valves for accurate flame adjustment and durability
- Complete accessory package with hose, spark lighter, goggles, tip cleaners, and replacement O-rings.
- O-ring seal design for easy assembling and disassembling, and better for preventing leakage.
   Forged and extruded brass for excellent durability.
- Aluminum case package



## BLCW-275TB

### Complete Outfit Contents:

Conterts	Torch	Cutting	Cutting	Oxygen	Acatylane	Welding	Welding	Tip
	Handlu	Attachment	Tips	Regulator	Regulator	nozzle	Mixer	Geaner
Model	WH274	CA272	AFN(3/64.1/32)	SR264-0X	SR264-AC	BL-W(2.3)	UNI-30	TC5402

Always state model number when ordering.

<sup>\*</sup> Please inform inlet & outlet connections needed to suit country.



Product Description MARIGASES WORLDWIDE Gas Welding and Cutting Kit OXY-PRPANE KIT

CAPACITY: Heavy Duty Cuts up to 300mm

CERTIFICATIONS: EN ISO 5172

Kit Included:

Cutting Nozzles: ANME-1, ANME-2, ANME-3, ANME-4

Welding Nozzle: #1-8

Accessories: Guiding carriage and Circle Guide

MGCW-277TB



#### CAX11A

· Cutting attachment injector for Acetylene



### CAX11V

Cutting attachment injector for Acetylene



WHX11

· Welding handle


### CAX11P

· Cutting attachment injector for Propane

#### SAFE-GUARD-4 Flashback Arrestor

SAFE-GUARD-4 has a connection angle of 38°. The advantage of this is that, when connected to regulators, the flashback arrestor will sit parallel with gas cylinder.

- . To prevent back flow
- To stop and extinguish penetrating flashback
- . To turn off the gas supply in the event of penetrating flashbacks
- . To turn off the gas supply in the event of overheating (95")



Safety Features: FA,NV,TV,PV



Complete Outfit Contents:				
Torch Handle:	WHX11			
Cutting Attachment:	CAXITA			
Cutting Tips:	HA411-1, HA411-2, HA411-3			
Welding nozzle:	X11-W1(80 (/h), X11-W2(160 (/h) X11-W3(315 (/h), X11-W4(500 (/h) X11-W5(800 (/h), X11-W6(1000 (/h)			
Non-return valves	T077 Fuel gas G1/4"-LH x 5.0 mm T077 Oxygen G1/4"x 5.0 mm			
Accessories:	Tip cleaner TC5401 Fixed key for six key widths EVA Packaging Robust plastic box			



Complete Outfit Contents:				
Torch Handle:	WHX21			
Cutting Attachment	CAX21			
Cutting Tips:	HA311-1, HA311-2, HA311-3			
Welding nozzle:	X21-W1(80 l/h), X21-W2(160 l/h) X21-W3(315 l/h), X21-W4(500 l/h) X21-W5(800 l/h), X21-W6(1000 l/h)			
Accessories	Cutting support Tip cleaner TC5401 Fixed key for six key widths. Roller guides and circle cutting attachmen Robust plastic box			